

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8





FIG. 9

56



58




FIG. 10




FIG. 11





FIG. 12



Case	Age	Sex	Duration	Site	Histology	Immunohistochemistry	Molecular biology	Prognosis	Treatment	Outcome	Comments
1	45	M	10 years	Rectum	Adenocarcinoma	CK20+, CK7+	WT	Good	Resection	Alive	
2	55	F	5 years	Colon	Adenocarcinoma	CK20+, CK7+	WT	Good	Resection	Alive	
3	65	M	3 years	Rectum	Adenocarcinoma	CK20+, CK7+	WT	Good	Resection	Alive	
4	75	F	2 years	Colon	Adenocarcinoma	CK20+, CK7+	WT	Good	Resection	Alive	
5	85	M	1 year	Rectum	Adenocarcinoma	CK20+, CK7+	WT	Good	Resection	Alive	
6	95	F	6 months	Colon	Adenocarcinoma	CK20+, CK7+	WT	Good	Resection	Alive	
7	105	M	4 months	Rectum	Adenocarcinoma	CK20+, CK7+	WT	Good	Resection	Alive	
8	115	F	3 months	Colon	Adenocarcinoma	CK20+, CK7+	WT	Good	Resection	Alive	
9	125	M	2 months	Rectum	Adenocarcinoma	CK20+, CK7+	WT	Good	Resection	Alive	
10	135	F	1 month	Colon	Adenocarcinoma	CK20+, CK7+	WT	Good	Resection	Alive	

**FIG. 13**




FIG. 14





FIG. 15




FIG. 16




FIG. 17




FIG. 18






FIG. 19




FIG. 20




FIG. 21

